

State Level Environment Impact Assessment Authority, U.P.

Dr. Bhum Rao Ambedkar Paryavaran Parisar
Vineet Khand - I, Gomtinagar, Lucknow-226010.
Ph: 91-522-2300541, Fax: 91-522-2300543
email: docuplko@yahoo.com

1424
Ref: /109/SEAC/2007

Date: 4.9.2008

To,

Shri Vinod Kumar Trivedi,
Vice President (Manufacturing & Unit Head),
Jubliant Organosys Ltd,
Bharatiagram, Gajraula,
Dist. Jyotiba Phoolay Nagar,
U.P.- 244223.

Sub: Regarding Environmental Clearance for proposed 16 MW Captive Power Plant and Expansion of Synthetic Organic Product plants at Gajraula- UPSIDC, Dist. J.P. Nagar.

Dear Sir,

Please refer to your letter JOL/FSE/EMV/2007/650 dated 16-9-2007 regarding the Environmental Clearance for proposed 16 MW Captive Power Plant (90 TPH Boiler) at Gajraula- UPSIDC, Dist. J.P. Nagar and your letter no. JOL/FSE/ENV/2007/653 dated 8-9-2007 regarding the Environmental Clearance for proposed expansion of synthetic organic product plants at Gajraula- UPSIDC, Dist. J.P. Nagar, addressed to the Secretary, State Environmental Impact Assessment Committee, UP. on the subject as above.

The State Level Environment Impact Assessment Authority based on the recommendations of the State Level Expert Committee has considered your application and has been given to understand that:

- (1) The Environmental Clearance is sought by you for proposed 16 MW Captive Power Plant at Gajraula, Distt. J.P. Nagar. The existing Distillery and plants for Organic chemical product are already established and operational in the Gajraula, Industrial Area of UPSIDC hence proposed project is considered within existing plant premises and will cover an area of 1 acre.
- (2) The Environmental Clearance is sought by you for proposed expansion of Synthetic Organic Product Plants at Gajraula, Distt. J.P. Nagar. The existing Distillery and plants for Synthetic chemical product are established and operational in the Gajraula, Industrial Area of UPSIDC hence proposed expansion will occur within the existing plant premises and will cover an area of about 3-4 acres.
- (3) The capacities to be added under the proposed expansion would be as follows :

S.No.	Products	Unit	Capacity
1.	Acetaldehyde	TPA	87600
2.	Acetic Acid	TPA	109500
3.	Ethyl Acetate	TPA	36500
4.	Pyridine & Picolines	TPA	10950
5.	Chloro/Flouro/Bromo/Hydrodyl Pyridines & Derivatives	TPA	2190

Based on the recommendations of the State Level Expert Committee an environmental clearance to the proposed 16 MW Captive Power Plant and Expansion of Synthetic Organic Product plants at Gajraula- UPSIDC, Dist. J.P. Nagar is hereby accorded subject to the effective implementation of the following conditions:

a. **General Conditions :**

1. The proposed project should be in accordance with the prescribed land use of the area. A land use certificate issued by the competent authority should be obtained in this regards.

2. Information with respect to this clearance & other related documents shall be communicated by the project proponents to the concerned agencies (other than SEIA and SEAC) as prescribed in the EIA notification no. SO 1533(E) dated 14/9/2006.
3. All tree felling in the project area shall be as permitted by the forest department under the prescribed rules. Suitable clearance in this regard shall be obtained from the competent authority.
4. A suitable shelter, light and fuel, water and toilet/waste disposal facilities for labour shall be provided during the construction phase.
5. Measures shall be undertaken to recycle and reuse treated effluents for horticulture and plantation. No effluents shall be discharged from proposed activities.
6. Obtain necessary clearance from the competent authority i.e. The Central Ground Water Board/Central Ground Water Authority on the abstraction and use of ground water during the construction and operation phases.
7. Hazardous/inflammable/Explosive materials likely to be stored during the construction and operation phases shall be as per standard procedure prescribed under law. Necessary Clearances in this regard shall be obtained.
8. Solid Wastes shall be suitably segregated and disposed. A separate and isolated municipal waste collecting system should be provided. Approved plans in this regards should be submitted.
9. Suitable Rain Water Harvesting system as per design of the U.P. State Ground Water Board shall be installed. Complete proposals in this regard should be submitted.
10. Water sprinklers and other dust control measures should be undertaken to suppress generated dust during the construction and operation phases.
11. Suitable noise abatement measures shall be adopted during the construction and operation phases in order to ensure that the generated noise does not violate the prescribed ambient noise standard.
12. Separate stock piles shall be maintained for excavated top soil and the top soil should be utilized for preparation of green belt.
13. Sewage shall be kept separate from rain water collection and storage system and separately disposed off. Other effluents should not be allowed to mix with sewage.
14. Hazardous/Solid wastes generated during construction and operation phases should be disposed off as prescribed under law. Necessary clearance in this regard shall be obtained.
15. Alternate technologies for solid waste disposals (vermi-composting etc.) should be used in consultation with expert organizations.
16. No wetland should be infringed with during construction and operation phases. Any wetland coming in the project area should be suitably rejuvenated and conserved.
17. Pavements shall be so constructed as to allow infiltration or surface run-off of rain water. Fully impervious pavements shall not be constructed. Construction of pavements around trees shall be as per scientifically accepted principles in order to provide suitable watering, aeration and nutrition to the tree.
18. Ensure usage of dual flush systems for flushing and explore and install options to use sensor based fixtures, waterless urinals and other water saving techniques.
19. Explore options for use of dual pipe plumbing for use of water.
20. Ensure measures for reducing water demand for landscaping, xeriscaping and use of efficient irrigation equipments including controlled watering systems.
21. Make suitable provisions for using solar energy as alternative source of energy. Solar energy application should be incorporated for illumination of common areas, lighting for gardens and street lighting and solar water heating. Present a report highlighting the saving of power through the use of solar energy.
22. Make separate provision for segregation, collection, transport and disposal of e-waste. Dispose e-waste through authorized vendor only. Till such time as an authorized vendor is not available arrangements should be made for temporary storage of e-wastes.
23. Educate citizens and other stake-holders by putting up hoardings at different places to create environmental awareness.


24. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
25. Prepare an on site disaster management plan for the industry.
26. A report on the energy conservation measures conforming to energy conservation norms finalized by the Bureau of Energy efficiency should be prepared.
27. Fly ash should be used as building material in the construction as per the provision of fly ash notification of September, 1999 and amended as on August, 2003.
28. The green belt design along the periphery of the plot shall achieve attenuation factor conforming to the day and night noise standards prescribed for residential land use. The open spaces inside the plot should be suitably landscaped and covered with vegetation of indigenous variety.
29. It is suggested that literacy program for weaker sections of society/women/adults (including domestic help) and under privileged children is undertaken in a formal way.
30. The use of Compact Fluorescent Lamps should be encouraged. A management plan for the safe disposal of used/damaged CFLs should be submitted.
31. It shall be ensured that all street lighting is solar powered. Additionally, 50% of the same may be provided with dual (solar/electrical) alternatives.
32. Solar water heater shall be installed to the maximum possible capacity. Plans may be drawn up accordingly.
33. Construction activities including movement of the vehicles should be managed in such a way, that no disturbance is caused to nearby residents. Location of STP should be such that it is away from human habitation and does not cause odour problem.
34. All necessary statutory clearances should be obtained and submitted before start of any construction activity and if this conditions is violated that clearance will be automatically deemed to have been cancelled.
35. It shall be ensured that all conditions stipulated in this clearance are complied with before start of production activities.
36. Parking areas should be in accordance with the norms of MoEF, Government of India. Plans may be drawn up accordingly.
37. Compliance report on the conditions stipulated in the NOC issued by the U.P. Pollution Control Board must be submitted before start of production.
38. It has to be ensured that all standards related to the Ambient Environmental Quality and the emission/effluent standards as prescribed by the MOEF are strictly complied with.
39. The Project Proponent will have to ensure that they obtained the No Objection Certificate from the U.P. Pollution Control Board before start of construction.

b. Specific Conditions :

1. Total odour control should be achieved by the end of 2008. The use of charcoal filter or other suitable devices/systems to control the odour may be examined and report submitted.
2. Green belt area should be 33% of the total premises area.
3. Low NOx burner should be used.
4. The use of natural gas as alternative fuel instead of coal should be examined and a report submitted. A separate clearance shall be obtained in case the company wishes to change the fuel.
5. Suitable technology should be explored to regenerate the Pyridine catalyst. Used catalyst should be disposed as per prescribed procedure only.
6. Hazardous Chemicals which are stored in the plant should be within the threshold limits as prescribed and should be so stored as not to cause hazards and risks. Suitable safety precautions should be taken.
7. TLV based work zone monitoring should be adopted.
8. All the solvent storage shall be provided with breather valves to prevent solvent losses.
9. The process and particulate matter emissions shall conform to the standards prescribed by the competent authorities from time to time. At no time, the emission levels shall exceed the stipulated standards.


10. Fugitive emissions in the work zone environment shall be regularly monitored and reports submitted to the U.P. Pollution Control Board.
11. During transfer of materials, spillages shall be avoided and garland drains be constructed to avoid mixing of accidental spillages with domestic waste and storm drains.
12. Occupational health surveillance of workers shall be done on a regular basis and records maintained as per provision of the factories act.
13. The company shall make arrangements for protection from possible fire hazards during the manufacturing process.
14. Incinerable wastes will be disposed off through incinerator. Non incinerable waste will be disposed off in authorized Hazardous Solid Waste Management facility. Waste/used oil will be sold to authorized recyclers.
15. The company shall undertake following Waste Minimization measures:
 - (i) Metering of quantities of materials used.
 - (ii) Maximizing recoveries.
 - (iii) Use of "Closed Feed" system into reactors.
16. All the waste waters generated from the various processes shall be recycled/ reuse/ treated in the plant and zero discharge shall be maintained.
 - a. Necessary statutory clearances should be obtained and submitted before start of any construction activity. In the event of the violation of the condition the environmental clearance shall be automatically deemed to have been cancelled.
 - b. The project proponent will have to submit approved plans and proposals incorporating the conditions specified in the Environmental Clearance within 03 months of issue of the clearance. Failing this the Environmental Clearance shall be deemed to be cancelled.

These stipulations would be enforced among others under the provisions of Water (Prevention and Control of Pollution) Act.1974, the Air (Prevention and Control of Pollution) Act. 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006 including the amendments and rules made thereafter. This is to request you to take further necessary action in matter as per provision of Gazette Notification No. S.O. 1533(E) dated 14.9.2006 and send regular compliance reports to the authority as prescribed in the aforesaid notification.


(Dr. C.S. Bhatt)
Member Secretary, SEIAA

Copy for necessary action to:

1. The Principal Secretary, Environment, U.P. Govt., Lucknow.
2. Dr. Nalini Bhatt, Director, Ministry of Environment & Forests, Govt. of India, Paryavaran Bhavan, CGO Complex, Lodhi Road, New Delhi.
3. Regional Office, Ministry of Environment & Forests, (Central Region), Kendriya Bhawan, 5th Floor, Sector-H, Aliganj, Lucknow.
4. The Member Secretary, U.P. Pollution Control Board, PICUP Bhawan, Gomtinagar, Lucknow.
5. Administrative Office, Directorate of Environment for monitoring & Web Updation.
6. Corresponding File.


(Dr. Yashpal Singh)
Secretary, SEAC and
Director, Environment Directorate, Govt. of U.P.

State Level Environment Impact Assessment Authority, Uttar Pradesh

Directorate of Environment, U.P.

Dr. Bhum Rao Ambedkar Paryavaran Parisar
Vineet Khand 1, Gomti Nagar, Lucknow - 226 010
Phone : 91 522 2300 541, Fax : 91 522 2300 543
E-mail : docuplko@yahoo.com
Website : www.seiaaup.com

To,

Mr. Vinod Kumar Trivedi,
Sr. Vice President (Mfg & Unit Head),
Jubilant Life Sciences Limited,
UPSIDC area Gajrula,
District- J.P. Nagar, U.P- 244223

Ref. No...1795...../Parya/SEAC/1188/2011/TA(J)

Date: 12 October, 2013

Subject- Environmental Clearance for Proposed Expansion of manufacturing plants for synthetic organic chemicals products of Jubilant Life Science at Gajraula, U.P. UPSIDC, J.P. Nagar.

Dear Sir,

Please refer to your application/letter dated 18/04/2012, 16/05/2012, 01/08/2012, 24/08/2012, 24/04/2013, 29/05/2013 and 23/08/2013 addressed to the Secretary, SEAC/Director, Directorate of Environment, U.P. on the subject as above. The matter was considered by the State Level Expert Appraisal Committee in its meeting held on dated 18/05/2012, 29/06/2013, 18/09/2012, 30/05/2013, 18/06/2013 and 26/09/2013.

A Presentation was made by the representatives of project proponents along with their consultant M/s EQMS India Pvt. Ltd. The project proponent, through the documents submitted and the presentation made, informed the committee that:

1. The environmental clearance is sought for proposed Expansion of manufacturing plants for synthetic organic chemicals products of Jubilant Life Science at Gajraula, U.P. UPSIDC, J.P. Nagar.
2. Existing capacity is: Formaldehyde-140400 TPA, Pyridine and Picolines and derivatives-55480 TPA.
3. Proposed capacity after expansion shall be: Formaldehyde-238950 TPA, Pyridine and Picolines and derivatives-90000 TPA.
4. Existing area is 265 acres and area required for proposed expansion is 03 acres. No additional requirement of land as proposed expansion is in existing land.
5. Existing water requirement is 11000 m³ /day. Water required for proposed expansion is 3000 m³ /day. Water requirement shall be met through existing 08 nos. borewells.
6. Existing power requirement is 22 MW. Power requirement for proposed expansion is 06 MW. The power requirement shall be met through existing captive power plant with installed capacity of 32 MW.
7. Existing fuel requirement is 975-1000 TPD of coal. Fuel requirement for proposed expansion is 270 TPD of coal.
8. The proposals are covered under category 5"f" of the EIA notification dated 14/09/2006, as amended.

Based on the recommendations of the State Level Expert Appraisal Committee (meeting held on 26/09/2013), the State Level Environment Impact Assessment Authority

(meeting held on 09/10/2013) has decided to grant the Environmental Clearance to the project subject to the effective implementation of the following general and specific conditions:

A. SPECIFIC CONDITIONS:

1. National Emission Standards for Organic Chemicals Manufacturing Industry issued by the Ministry vide G.S.R. 608(E) dated 21st July, 2010 and amended time to time shall be followed by the unit.
2. Multi-cyclone followed by bag filter shall be provided to the coal fired boiler to control particulate emissions within permissible limit. The gaseous emissions shall be dispersed through stack of adequate height as per CPCB/UPPCB guidelines.
3. Two stage scrubbers with caustic lye media solution shall be provided to process vents to control SO₂. The scrubbing media shall be sent to effluent treatment plant (ETP) for treatment. Efficiency of scrubber shall be monitored regularly and maintained properly. At no time, the emission levels shall go beyond the prescribed standards. Scrubbers vent shall be provided with on-line detection and alarm system to indicate higher than permissible value of controlled parameters.
4. Ambient air quality data shall be collected as per NAAQES standards notified by the Ministry vide G.S.R. No. 826(E) dated 16th September, 2009. The levels of PM₁₀, SO₂, NO_x, VOC, and CO should be monitored in ambient air and emissions from the stacks and displayed at a convenient location near the main gate of the company and at important public places. The company shall upload the results of monitored data on its website and shall update the same periodically. It shall simultaneously be sent to the Regional office of MOEF, the respective Zonal office of CPCB and the Uttar Pradesh Control Board (UPPCB).
5. In plant control measures for checking fugitive emissions from all the vulnerable sources shall be provided. Fugitive emissions shall be controlled by providing closed storage, closed handling & conveyance of chemicals/materials, multi cyclone separator and water sprinkling system. Dust suppression system including water sprinkling system shall be provided at loading and unloading areas to control dust emissions. Fugitive emissions in the work zone environment, product, raw materials storage area etc. shall be regularly monitored. The emissions shall conform to the limits stipulated by the UPPCB.
6. For further control of fugitive emissions, following steps shall be followed :
 - Closed handling system shall be provided for chemicals.
 - Reflux condenser shall be provided over reactor.
 - System of leak detection and repair of pump/pipeline based on preventive maintenance.
 - The acids shall be taken from storage tanks to reactors through closed pipeline.
 - Storage tanks shall be vented through trap receiver and condenser operated on chilled water.
 - Cathodic protection shall be provided to the underground solvent storage tanks.
7. The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution.
8. Solvent management shall be carried out as follows :
 - Reactor shall be connected to chilled brine condenser system
 - Reactor and solvent handling pump shall have mechanical seals to prevent leakages.
 - The condensers shall be provided with sufficient HTA and residence time so as to achieve more than 95% recovery.
 - Solvents shall be stored in a separate space specified with all safety measures.
 - Proper earthing shall be provided in all the electrical equipment wherever solvent handling is done.

- Entire plant shall be flame proof. The solvent storage tanks shall be provided with breather valve to prevent losses.
 - All the solvent storage tanks shall be connected with vent condensers with chilled brine circulation.
9. Total fresh water requirement from ground water source shall not exceed 48.47 m³/day and prior permission shall be obtained from the CGWA/SGWA.
 10. Trade effluent shall be segregated into High COD/TDS and Low COD/TDS effluent streams. High TDS/COD effluent shall be passed through stripper followed by MEE and ATFD (agitated thin film drier). Low TDS effluent stream shall be treated in ETP and then passed through RO system. Condensate and recover water shall be recycled/reused within factory premises. 'Zero' effluent discharge shall be adopted and no effluent will be discharged outside the premises.
 11. Hazardous chemicals shall be stored in tanks, tank farms, drums, carboys etc. Flame arresters shall be provided on tank farm. Solvent transfer shall be by pumps.
 12. As proposed, process organic residue and spent carbon should be sent to cement industries. ETP sludge, process inorganic & evaporation salt should be disposed off to the TSDF. The fly ash from boiler should be sold to brick manufacturers/cement industry.
 13. The company shall obtain Authorization for collection, storage and disposal of hazardous waste under the Hazardous Waste (Management, Handling and Trans-Boundary Movement) Rules, 2008 and amended as on date for management of Hazardous wastes and prior permission from UPPCB shall be obtained for disposal of solid / hazardous waste in the TSDF. Measures shall be taken for firefighting facilities in case of emergency.
 14. The Company shall strictly comply with the rules and guidelines under Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989 as amended time to time. All Transportation of Hazardous Chemicals shall be *as per* the Motor Vehicle Act (MVA), 1989.
 15. Fly ash shall be stored separately as per CPCB guidelines so that it shall not adversely affect the air quality, becoming air borne by wind or water regime during rainy season by flowing alongwith the storm water. Direct exposure of workers to fly ash & dust shall be avoided.
 16. The company shall undertake following waste minimization measures :-
 - Metering and control of quantities of active ingredients to minimize waste.
 - Reuse of by-products from the process as raw materials or as raw material substitutes in other processes.
 - Use of automated filling to minimize spillage.
 - Use of Close Feed system into batch reactors.
 - Venting equipment through vapour recovery system.
 - Use of high pressure hoses for equipment clearing to reduce wastewater generation.
 17. The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire fighting system shall be as per the norms.
 18. Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.
 19. Green belt shall be developed in minimum 33% plot area of the project.
 20. Environmental Corporate Responsibility (ECR) plan along with budgetary provision amounting to 2% of total project cost shall be submitted (within three month) on need base assessment study in the study area. Income generating measures which can help in up-liftment of weaker section of society consistent with the traditional skills of the people identified. The program me can include activities such as old age homes, rain

water harvesting provisions in nearby areas, development of fodder farm, fruit bearing orchards, vocational training etc. In addition, vocational training for individuals shall be imparted so that poor section of society can take up self employment and jobs. Separate budget for community development activities and income generating programmers shall be specified.

21. Provision shall be made for the housing for the construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile sewage treatment plant, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structure to be removed after the completion of the project. All the construction wastes shall be managed so that there is no impact on the surrounding environment.

B. GENERAL CONDITIONS:

- 1) The project authorities shall strictly adhere to the stipulations made by the Uttar Pradesh Pollution Control Board.
- 2) No further expansion or modifications in the plant shall be carried out without prior approval of the SEIAA, U.P. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- 3) The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one stations is installed in the upwind and downwind direction as well as where maximum ground level concentrations are anticipated.
- 4) The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).
- 5) The Company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground water and use the same water for the process activities of the project to conserve fresh water.
- 6) Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.
- 7) Usage of Personnel Protection Equipments (PPEs) by all employees/ workers shall be ensured.
- 8) The company shall also comply with all the environmental protection measures and safeguards proposed in the documents submitted to the SEIAA. All the recommendations made in the EIA/EMP in respect of environmental management, risk mitigation measures and public hearing relating to the project shall be implemented.
- 9) The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CSR activities shall be undertaken by involving local villages and administration.
- 10) The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.
- 11) A separate Environmental Management Cell equipped with full fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.
- 12) As proposed, the company shall earmark sufficient funds towards capital cost to implement the conditions stipulated by the SEIAA as well as the State Government

- along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.
- 13) A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zila Parisad/Municipal Corporation, Urban local Body and the local NGO, if any, from who suggestions/ representations, if any, were received while processing the proposal.
 - 14) The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the UP Pollution Control Board. A copy of Environmental Clearance and six monthly compliance status reports shall be posted on the website of the company.
 - 15) The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
 - 16) The project proponent shall inform the public that the project has been accorded environmental clearance by the SEIAA and copies of the clearance letter are available with the SPCB/Committee. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.
 - 17) The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.

No construction is to be started without obtaining Prior Environmental Clearance. Concealing factual data and information or submission of false/fabricated data and failure to comply with any of the conditions stipulated in the Prior Environmental Clearance attract action under the provision of Environmental (Protection) Act, 1986.

This environmental clearance is subject to ownership of the site by the project proponents in confirmation with approved Master Plan for J.P. Nagar by the competent Authority. In case of violation, it would not be effective and would automatically stand cancelled.

The project proponent will have to submit approved plans and proposals incorporating the conditions specified in the Environmental Clearance within 03 months of issue of the clearance. The SEIAA/MoEF reserves the right to revoke the environmental clearance, if conditions stipulated are not implemented to the satisfaction of SEIAA/MoEF. SEIAA may impose additional environmental conditions or modify the existing ones, if necessary. Necessary statutory clearances should be obtained.

You are also directed to ensure that the proposed site is not a part of any no-development zone as required/prescribed/identified under law. In case of violation, this permission shall automatically deem to be cancelled. Also, in the event of any dispute on ownership or land use of the proposed site, this clearance shall automatically deem to be cancelled.

These stipulations would be enforced among others under the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006 including the amendments and rules made thereafter.

This is to request you to take further necessary action in the matter as per provision of Gazette Notification No. S.O. 1533(E) dated 14.9.2006, as amended and send regular compliance reports to the authority as prescribed in the aforesaid notification.



(J.S. Yadav)

Member Secretary, SEIAA

No...../Parya/SEAC/1188/2011/TA(J)

Dated: As above

Copy for Information and necessary action to:

1. The Principal Secretary, Department of Environment, Govt. of Uttar Pradesh, Lucknow.
2. Advisor, IA Division, Ministry of Environment & Forests, Govt. of India, Paryavaran Bhawan, CGO Complex, Lodhi Road, New Delhi.
3. Chief Conservator, Regional Office, Ministry of Environment & Forests, (Central Region), Kendriya Bhawan, 5th Floor, Sector-H, Aliganj, Lucknow.
4. The Member Secretary, U.P. Pollution Control Board, PICUP Bhawan, Gomti Nagar, Lucknow.
5. District Magistrate, J.P. Nagar.
6. Deputy Director, Regional Office, Directorate of Environment, Meerut.
7. Copy for Web Master/Guard file.



(O.P. Varma)

Director (I/c)/Secretary, SEAC
Directorate of Environment