

Safety Data Sheet

According to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Date of Compilation : January 30, 2009

Date of Revision : February 21, 2024

Revision due date : January 2027

Revision Number : 06

Version Number : 0522Gj Ghs06 Div.03 sds 2-Chloro-3-Cyanopyridine

Supersedes date : January 02, 2024

Supersedes version : 0522Gj Ghs05 Div.03 sds 2-Chloro-3-Cyanopyridine



Safety Data Sheet

According to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

SECTION 1: Identification


1.1. Identification

PRODUCT NAME : 2-Chloro-3-Cyanopyridine

CAS RN : 6602-54-6 **EC#** : 229-550-1

SYNONYMS: 2-Chloronicotinonitrile, 2-Chloro-3-Cyanopyridine, 2-Chloro-3-pyridinecarbonitrile

SYSTEMATIC NAME : 2-Chloronicotinonitrile



1.2. Relevant identified uses of the substance or mixture and uses advised against

 2-Chloro-3-cyanopyridine is used for research and development purposes only. It is probably used as an intermediate in the pharmaceutical industry

1.3. Details of the supplier of the safety data sheet

Jubilant Ingrevia Limited

FACTORY & REGISTERED OFFICE: Jubilant Ingrevia Limited., Bhartiagram, Gajraula, District: Amroha, Uttar Pradesh-244223, India T +91-5924-267437, +91-5924-267438

HEAD OFFICE: Jubilant Ingrevia Limited., Plot 1-A, Sector 16-A,Institutional Area, Noida, Uttar Pradesh, 201301 - India T +91-120-4361000 - F +91-120-4234881 / 84 / 85 / 87 / 95 / 96 support@jubl.com - www.jubilantingrevia.com

1.4. Emergency telephone number

For Chemical Emergency (in the case of fire, leak, spill, exposure or accident) Call

Chemtrec: 1-800-424-9300 (US), 1-703-527-3887 (Outside U.S.)

Chemtrec (India): 000-800-100-7141

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS-US classification

Acute toxicity, Oral (Category 4)
Skin corrosion/ Irritation-Category 2
Eye Damage / Irritation -Category 2B
Specific target organ toxicity (Single exposure)-Category 3
H335

2.2. Label Elements

GHS US Labelling

Hazard Pictograms



Signal Word: Warning!

Hazard and precautionary statements:

Hazard Statements

- H302: Harmful if swallowed
- H315: Cause skin irritation.



Safety Data Sheet

According to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

- H319: Causes serious eye irritation
- H335: May cause respiratory irritation

PRECAUTIONARY STATEMENTS

- P264: Wash hands thoroughly after handling.
- P261: Avoid breathing dust/fume/gas/mist/vapors/spray.
- P270: Do not eat, drink or smoke when using this product.
- P271: Use only outdoors or in a well ventilated area.
- P280: Wear protective gloves, eye protection/ face protection.
- P301+P312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
- P302 + P352: IF ON SKIN: Wash plenty of soap and water.
- P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
 Continue rinsing
- P330: Rinse mouth.
- P332 + P337 + P313: If skin irritation occurs/If eye irritation persists: Get medical advice/ attention.
- P362: Take off contaminated clothing and wash before reuse.
- P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- P312: Call a POISON CENTER or doctor/physician if you feel unwell.
- P403 + P233: Store in a well-ventilated place. Keep container tightly closed
- P405: Store locked up.
- P501: Dispose of contents/ container in accordance with local/regional/national/international regulations.

2.3. Other hazards

Substance is not classified as PBT nor as vPvB. For further details see section 12.

2.4. Unknown acute toxicity (GHS-US)

Not applicable

SECTION 3: Composition/information on ingredients

Substance	CAS No.	Purity	Hazard Classes and categories	Pictograms Signal Words	Hazard Statements
2-Chloro-3- Cyanopyridine	6602-54-6	>98%	Acute toxicity, Oral (Category 4) Skin corrosion/ Irritation-Category 2 Eye Damage / Irritation -Category 2B Specific target organ toxicity (Single exposure)-Category 3	GHS07	H302 H315 H319 H335

SECTION 4: First aid measures

4.1. Description of first aid measures

- Eyes: If in eyes rinse cautiously with water for at least 15 minutes. Remove contact lenses if easy to do so. Continue rinsing. Seek medical attention.
- Skin: Immediately take off all contaminated clothing. Wash thoroughly with water for at least 15 minutes. Wash contaminated clothes before reuse. Seek immediate medical attention.
- Inhalation: Remove to fresh air and keep at rest in a position comfortable for breathing. Call a physician if you feel unwell. Monitor for respiratory distress.
- Ingestion: If swallowed call a poison center if you feel unwell. Rinse mouth. Do NOT induce vomiting by use of emetics. Seek medical attention.

4.2. Most important symptoms and effects, both acute and delayed



Safety Data Sheet

According to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Acute effects:

- Eyes: Causes serious eye irritation. More than ordinary care should be used to prevent eye contact.
- Skin Causes skin irritation. More than ordinary care should be used to prevent skin.
- Ingestion: Harmful if swallowed .This material is considered to be harmful via the oral route.
- Inhalation: Although data on inhalation toxicity are unavailable, it may be assumed that this material may be harmful via inhalation.

Chronic effects:

• To the best of our knowledge the chronic exposure of this material have not been fully investigated.

4.3. Indication of any immediate medical attention and special treatment needed

• Notes to Physician: Treat symptomatically

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media.

Appropriate extinguishing media: Dry chemical powder, carbon dioxide, dry sand and alcohol resistant foam.

5.2. Special hazards arising from the substance or mixture.

- Toxic vapors may be released on thermal decomposition including nitrogen oxides, carbon monoxide carbon di-oxide, Hydrochloride gas and irritating and toxic fumes.
- High vapor concentration may result in an explosion hazard.
- Vapors are heavier than air. May travel considerable distance from source and flashback.

5.3. Advice for firefighters

- Evacuate the area and fight fires from a safe distance.
- If tank, rail car or tank truck is involved in a fire, ISOLATE for 800 meters (1/2 mile) in all directions; also, consider initial evacuation for 800 meters (1/2 mile) in all directions or as per locally valid procedures.
- Fire-fighters must wear Self Contained Breathing Apparatus (SCBA).
- Report any run-off of firewater's contaminated with this chemical as per local and federal procedures applicable.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures.

6.1.1 For non-emergency personnel

- Wear protective clothing, full boots, impervious gloves, safety glasses and Self Contained Breathing Apparatus (SCBA), as may be deemed
 appropriate.
- Avoid breathing vapors and contact with skin and eyes.
- Shut off leak source if possible.
- Shut off all possible sources of ignition.
- Wipe up.
- Decontaminate all equipment.

6.1.2 For emergency personnel

- Wear protective clothing, full boots, impervious gloves, safety glasses and Self Contained Breathing Apparatus (SCBA), as may be deemed
 appropriate.
- Alert Emergency Responders and tell them location and nature of hazard.
- Shut off all possible sources of ignition and increase ventilation.
- Stop leaks if possible.
- Clean up all spills immediately following relevant Standard Operating Procedures.
- Avoid breathing vapors and contact with skin and eyes.

6.2. Environmental precautions.

- Clean up all spills immediately following relevant Standard Operating Procedures.
- Inform authorities in event of contamination of any public sewers, drains or water bodies.
- Wipe up.
- Prevent, by any means available, spillage from entering drains or water and watercourses.
- Collect recoverable product into labeled containers for recycling, recovery or disposal.
- Contain spill with sand, earth or vermiculite.
- Spread area with lime or absorbent material, and leave for at least 1 hour before washing.

6.3. Methods and material for containment and cleaning up.

- · Clean up all tools and equipment.
- Decontaminate all equipment.

6.4. Reference to other sections.

• For more information please refer to section 8 and 13.



Safety Data Sheet

According to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

- Do not breathe dust or mist.
- Wear protective gloves/clothing and eye/face protection.
- Wash thoroughly after handling.
- Ground and secure containers when dispensing or pouring product.
- Avoid contact with incompatible materials.
- When handling, DO NOT eat, drink or smoke.
- Launder contaminated clothing before re-use.
- If on skin or hair, IMMEDIATELY remove all contaminated clothing and rinse/shower with plenty of water.
- Use in a well ventilated place/Use protective clothing commensurate with exposure levels.

7.2. Conditions for safe storage, including any incompatibilities

- Store at ambient temperature in a dry and well ventilated place.
- Store away from incompatible materials.
- Keep only in original container.
- Keep securely closed when not in use.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Control parameters

8.1.1 Exposure Limits Values

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
2-Chloro-3-Cyano pyridine	Not available	Not available	Not available

8.1.2 Exposure Limits (International):

Not available.

8.1.3 Derived No-Effect-Levels (DNEL) / Predicted No-effect-concentration (PNEC)

• DNEL and PNEC data not available.

8.2. Exposure controls

8.2.1 Appropriate Engineering Controls:

• Provide exhaust ventilation or other engineering controls to keep the relevant airborne concentrations below their respective occupational exposure limits. Local ventilation is usually preferred. Ensure that eyewash stations and safety showers are close to the workstation location.

8.2.2. Personal Protection:

- Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of the protective clothing to chemicals should be ascertained with the respective supplier.
- Hands: Wear appropriate protective gloves to prevent skin exposure.
 - The protective gloves to be used must comply with the specifications of EC directives 89/686/EEC and the resultant standard EN374.
- Eyes: Safety goggles/ Chemical Safety glasses and Face shield.
- Clothing: Boots and clothing to prevent contact.
- Respirator: Follow the OSHA respirator regulations found in 29CFR 1910.134 or European Standard EN 149. Always use a NIOSH or European Standard EN 149 approved respirator when necessary.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties.

Sr.No.	Parameter	Typical value
1.	Appearance	White to off white crystalline powder
2.	Odor	Characteristic
3.	Odor Threshold	Not available
4.	pH	Not available
5.	Melting point/Freezing point	107 – 109° C
6.	Boiling Point	112° C at 1 torr



Safety Data Sheet

According to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

7.	Flash point	Not available
8.	Evaporation rate (n-BuAc=1)	Not available
9.	Flammability	Non Flammable
10.	Upper/lower flammability or Explosive limits	Non Flammable
11.	Vapor pressure	0.0452 mm Hg at 25° C(Predicted)
12.	Vapor density (air=1)	Not available
13.	Relative density/Bulk Density	Not available
14.	Solubility	Insoluble in water
15.	Partition coefficient : n-(Octonol / water)	1.0
16.	Auto-ignition temperature	Not available
17.	Decomposition temperature	Not available
18.	Viscosity	Not applicable (solid)
19.	Explosive property	No
20.	Oxidizing property	Non Oxidizing

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Stable under recommended storage condition.

10.2. Chemical stability

Stable under normal temperature and pressures.

10.3. Possibility of hazardous reactions

Hazardous Polymerization: Not reported.

10.4. Conditions to avoid

Keep away from High temperature, mechanical shock, incompatible materials, ignition sources, excess heat, and moisture. Avoid static discharge and uncontrolled exposure to high temperatures.

10.5. Incompatible materials

Strong Oxidizing agents and base.

10.6. Hazardous decomposition products

Thermal decomposition may produce carbon monoxide and oxides of nitrogen, carbon dioxide & nitrogen, Hydrogen chloride, and irritating and toxic fumes.

TOXICOLOGICAL INFORMATION

SECTION 11: 11.1. Information on toxicological effects

Acute toxicity

LD50 Oral (Rat): 891.58 mg/kg (Predicted oral rat LD50 from consensus method)

- b) Skin corrosion/irritation
 - Causes skin irritation.
- c) Serious eye damage/irritation
 - Causes serious eye irritation.
- Respiratory or skin sensitization
 - No data is available.
- Germ cell Mutagenicity
 - No data available.
- Carcinogenicity



Safety Data Sheet

According to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

- Not listed by NTP, IARC.
- Information pertaining to cause cancer in animals is unavailable.
- Reproductive toxicity g)
 - No data is available.
- STOT-single exposure
 - May cause respiratory irritation.
 - Inhalation may result in symptoms similar to cyanide poisoning which include tachypnea, hyperpnea (abnormally rapid or deep breathing), and dyspnea (labored breathing) followed rapidly by respiratory depression. Pulmonary edema may occur.
- STOT- repeated exposure
 - No data available.
 - Aspiration Hazards
 - No data available.

Additional Information

RTECS: Not available

SECTION 12:

ECOLOGICAL INFORMATION

12.1. Toxicity

12.1.1 **Ecotoxicity:**

Fathead minnow LC50 (96 hr)- 78.5 mg/l (Predicted Fathead minnow LC50 from Consensus method)

12.2. Persistence and degradability

Not readily biodegradable.

12.3. Bio accumulative potential

- BCF-3.162
- Log Kow- 1.00
- Based on the Log Kow and Bio concentration factor value it is expected to have low potential to concentrate in fatty tissue of fish and aquatic organisms.

12.4. Mobility in soil (Estimated)

- Log Koc = 2.047 (estimated). Moderate Sorption.
- Henry's Law Constant = 3.19E-006 atm-m³/mole. It is volatile from aqueous bodies.
- Log Kow = 1.00 (estimated). Low potential to bio accumulate.

12.5. Results of PBT and vPvB assessment

The substance does not meet the criteria for PBT or vPvB in accordance with Annex XIII

12.6. Other adverse effects.

- **Environment Fate:**
- No appreciable bio-accumulation potential is to be excepted. Not readily bio-degradable. Since this is an estimated result it is recommended that the material should not be disposed into the environment. The material should never be disposed into the sewage.

SECTION 13:

DISPOSAL CONSIDERATIONS

TRANSPORT INFORMATION

13.1. Waste treatment methods

Dispose of this material in accordance with standard practice for disposal of potentially hazardous materials as required by applicable federal, state or local laws. Note that disposal regulations may also apply to empty containers and equipment rinsates.

SECTION 14:

This substance is considered to be hazardous for transport by Air/Rail/Road and Sea and thus regulated by IATA/ICAO/ARD/RID/IMO/IMDG.

S.No	Agency	UN Number	umber Proper Shipping name		Hazard Class	Packing Group
Land Transport	US DOT	UN 3439	Nitriles, solid, toxic, n.o.s. (2- Chloronicotinonitrile)		6	III
Maritime Transport	IMDG	UN 3439	JN 3439 Nitriles, solid, toxic, n.o.s. (2- Chloronicotinonitrile)		6	III
Air Transport	IATA	UN 3439	Nitriles, solid, toxic, n. Chloronicotinonitrile)	Nitriles, solid, toxic, n.o.s. (2- Chloronicotinonitrile)		III
Hazard Label			Toxic	:((



Safety Data Sheet

According to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Environmental hazards:

• Marine pollutant : No

SECTION 15:

REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture. Classification (as per Regulation (EC) No 1272/2008):

- Hazards Class and Category: Acute tox. Oral-Cat 4; Skin Corr- Cat 2; Eye irri. Cat. 2; STOT (Single exposure) Cat 3
- Hazard Statements: H302; H315; H319; H335y

Chemical Inventory Lists:	<u>Status</u>
TSCA:	Not listed
EINECS:	229-550-1
Canada(DSL/NDSL):	Not Listed
Japan:	Listed
Korea:	Not Listed
Australia:	Not listed
China: IECSC	Not listed
New Zealand (NZIoC)	Listed
Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Not Listed
Taiwan:	Listed

US information

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act): 2-Chloro-3-cyanopyridne is not listed

SARA 302/304: 2-Chloro-3-cyanopyridne is not listed SARA 311/312: See section 2 for more information California Prop. 65: 2-Chloro-3-cyanopyridne is not listed CAA (Clean Air Act): 2-Chloro-3-cyanopyridne is not listed CWA (Clean Water Act): 2-Chloro-3-cyanopyridne is not listed

EU Information

Water hazard class (WGK): WGK 3 (Severely hazardous to water)

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006: 2-Chloro-3-cyanopyridne is not listed

SECTION 16: OTHER INFORMATION

(a) Compilation information of safety data sheet

Chemical: 2-Chloro-3-Cyanopyridine

CAS #: 6602-54-6

File Name: 0522Gj Ghs06 Div.03 sds 2-Chloro-3-Cyanopyridine

Revision Number: 06

Date of Issue of SDS: February 21, 2024 Revision Due Date: January 2027

Jubilant Ingrevia Limited



Safety Data Sheet

According to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

(b) A key or legend to aberrations and acronyms used in the safety data sheet;

- PBT =Persistent Bio accumulative and Toxic
- vPvB= Very Persistent and Very Bio accumulative
- SCBA= Self Contained Breathing Apparatus
- NIOSH REL= National Institute for Occupational Safety and Health Recommended Exposure Limit OSHA PEL=Occupational Safety and Health Administration Permissible Exposure Limit
- OELTWA= Occupational Exposure Limit Time Weighted Averages
- IDLH= Immediately Dangerous to Life or Health
- UEL= Upper Explosive Limit
- LEL= Lower Explosive Limit
- RTECS= Registry of Toxic Effects of Chemical Substances
- NTP=National Toxicology Program
- IARC= International Agency for Research on Cancer
- EPA=Environmental Protection Agency
- TSCA= Toxic Substances Control Act
- CERCLA= Comprehensive Environmental Response, Compensation, and Liability Act
- SARA= Superfund Amendments and Reauthorization Act
- NFPA= National Fire Protection Association
- WHIMS= Workplace Hazardous Materials Information System
- DSL/NDSL= Domestic/Non-Domestic Substances List
- CSR=Chemical Safety Report
- BCF = Bio Concentration Factor
- DNEL = Derived No Effect Level
- PNEC = Predicted No Effect Concentration
- TLV = Threshold Limit Value
- ACGIH = American Conference of Governmental Industrial Hygienists
- REACH = Registration, Evaluation .Authorization and Restriction of Chemicals
- CLP = Classification, Labeling and Packaging
- LD / LC = Lethal Doses / Lethal Concentration
- GHS = Globally Harmonized System
- ADR = Accord europeen relative au transport international de marchandises
- IMDG-Code = International Maritime Code for Dangerous Goods
- EmS = Emergency measures on Sea
- ICAO = International Civil Aviation Organization
- IATA/DGR= International Air Transport Association/Dangerous Goods Regulation

(c) Key Literature reference and sources for data

Biographical reference and data sources

- CLP REG (regulation) (EC) no. 1272/2008, last modification by regulation (EC) no. 790/2009
- DIR 67/548/EWG, last modification by DIR 2009/2/EC
- REG (EC) no. 1907/2006, last modification by REG (EC) Nr. 453/2009

Internet

RTECS

(d) List of Risk Phrases, Hazard statements, safety Phrases and/or precautionary statements.

Hazards Statements	H302: Harmful if swallowed.
	H315: Causes skin irritation
	H319: Causes serious eye irritation
	H335: May cause respiratory irritation.

Company's Declaration:

Information contained in this SDS is believed to be correct but no representation, guarantee or warranties of any kind are made as to its accuracy, suitability for a particular application or results to be obtained from them. This SDS shall be used as a guide only. Jubilant Ingrevia Limited makes no warranties expressed or implied of the adequacy of this document for any particular purpose.

(End of Safety Data Sheet)